according to Regulation (EC) No. 1907/2006 (REACH)



# **Spraycleaner**

Version number: 1.0 Date of compilation: 2019-12-13

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name Spraycleaner

Product form Mixture

Registration number (REACH)

Not relevant (mixture)

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Specific process or activity

Adhesives, sealants

## 1.3 Details of the supplier of the safety data sheet

Bloem Sealants BV Westvlietweg 69 2495 AA Den Haag Netherlands

Telephone: +31 (0)70 329 66 01 Telefax: +31 (0)70 329 22 02 e-mail: info@bloemsealants.com Website: www.bloemsealants.com

e-mail (competent person) info@bloemsealants.com

## 1.4 Emergency telephone number

Emergency information service +31 (0)70 329 66 01

This number is only available during the following office hours: Mon-

Fri 09:00 - 17:00

### Poison centre

. 5.555							
Country Name		Telephone					
United Kingdom	National Poisons Information Service (NPIS) (medical professionals only)	0344-8920111					
United Kingdom	NHS (general public)	non-emergency: 111 or a doctor; emergency: 999					

### **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
2.3	aerosols	1	Aerosol 1	H222,H229
3.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.8D	specific target organ toxicity - single exposure (narcotic effects, drowsiness)	3	STOT SE 3	H336

Code	Supplemental hazard information
EUH066	repeated exposure may cause skin dryness or cracking

For full text of abbreviations: see SECTION 16.

United Kingdom: en Page: 1 / 16

according to Regulation (EC) No. 1907/2006 (REACH)



# **Spraycleaner**

Version number: 1.0 Date of compilation: 2019-12-13

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- signal word danger

- pictograms

GHS02, GHS07



- hazard statements

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

- precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P312 Call a POISON CENTRE/doctor if you feel unwell.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

- supplemental hazard information

EUH066 Repeated exposure may cause skin dryness or cracking.

#### Additional labelling according to Directive 75/324/EEC relating to aerosol dispensers

Extremely flammable. Pressurized container: may burst if heated. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

- hazardous ingredients for labelling

Acetone

#### 2.3 Other hazards

Of no significance.

### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not relevant (mixture)

#### 3.2 Mixtures

The product does not contain any (other) ingredients which are classified according to present knowledge of the supplier and contribute to the classification of the product and hence require reporting in this section.

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Picto- grams	Notes	Specific Conc. Limits	M-Factors
Acetone	CAS No 67-64-1	50-<60	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319 STOT SE 3 / H336		GHS- HC IOELV		
	EC No 200-662-2		EUH066	<u>(!)</u>			
	Index No 606-001-00-			•			

United Kingdom: en Page: 2 / 16

according to Regulation (EC) No. 1907/2006 (REACH)



# **Spraycleaner**

Version number: 1.0 Date of compilation: 2019-12-13

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Picto- grams	Notes	Specific Conc. Limits	M-Factors
	8						
	REACH Reg. No 01- 2119471330 -49-xxxx						
Dimethyl ether	CAS No 115-10-6	10-20	Flam. Gas 1 / H220 Press. Gas C /	<b>(M)</b>	GHS- HC		
	EC No 204-065-8		H280		IOELV U		
	Index No 603-019-00- 8			<b>~</b>			
	REACH Reg. No 01- 2119472128 -37-xxxx						
Isobutane	CAS No 75-28-5	10-20	Flam. Gas 1 / H220 Press. Gas C / H280	<b>(M)</b>	C(a) U		
	EC No 200-857-2		Aquatic Chronic 4 / H413				
	REACH Reg. No 01- 2119485395 -27-xxxx			<b>&gt;</b>			
Propane	CAS No 74-98-6	1 – 10	Flam. Gas 1 / H220 Press. Gas C / H280		U		
	EC No 200-827-9		Aquatic Chronic 4 / H413				
	REACH Reg. No 01- 2119486944 -21-xxxx			•			

## Notes

C(a): Mixture of isomers
GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)

IOELV: Substance with a community indicative occupational exposure limit value

When put on the market gases have to be classified as 'Gases under pressure', in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case.

## **Remarks**

For full text of H-phrases: see SECTION 16. All the percentages given are percentages by weight unless stated otherwise.

United Kingdom: en Page: 3 / 16

according to Regulation (EC) No. 1907/2006 (REACH)



# **Spraycleaner**

Version number: 1.0 Date of compilation: 2019-12-13

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eve contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. If eye irritation persists: Get medical advice/attention.

### Following ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Call a POISON CENTER or doctor if you feel unwell.

## 4.2 Most important symptoms and effects, both acute and delayed

Narcotic effects. Headache. Nausea.

## 4.3 Indication of any immediate medical attention and special treatment needed

For specialist advice physicians should contact the poison centre.

### **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media

Alcohol resistant foam; Dry extinguishing powder

Unsuitable extinguishing media

Water jet.

## 5.2 Special hazards arising from the substance or mixture

#### Hazardous combustion products

During fire hazardous fumes/smoke could be produced. Carbon monoxide (CO).

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

### Special protective equipment for firefighters

Self-contained breathing apparatus (EN 133). Standard protective clothing for firefighters.

United Kingdom: en Page: 4 / 16

according to Regulation (EC) No. 1907/2006 (REACH)



# **Spraycleaner**

Version number: 1.0 Date of compilation: 2019-12-13

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Ventilate affected area.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Use personal protective equipment as required.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Recommendations

- measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

## 7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- flammability hazards

Do not spray on an open flame or other ignition source. Protect from sunlight.

- incompatible substances or mixtures

Keep away from alkalis, oxidising substances, acids.

Control of effects

Protect against external exposure, such as

High temperatures. UV-radiation/sunlight.

Consideration of other advice

Store in a well-ventilated place. Keep container tightly closed.

packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

## 7.3 Specific end use(s)

There is no additional information.

United Kingdom: en Page: 5 / 16

according to Regulation (EC) No. 1907/2006 (REACH)



# **Spraycleaner**

Version number: 1.0 Date of compilation: 2019-12-13

## **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

## **National limit values**

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntry	Name of agent	CAS No	Identi- fier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Nota- tion	Source
EU	dimethyl ether	115-10-6	IOELV	1,000	1,920				2000/39/EC
EU	acetone	67-64-1	IOELV	500	1,210				2000/39/EC
GB	dimethyl ether	115-10-6	WEL	400	766	500	958		EH40/2005
GB	acetone	67-64-1	WEL	500	1,210	1,500	3,620		EH40/2005

Notation

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless

otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

### Relevant DNELs/DMELs/PNECs and other threshold levels

Relevant DNELs of components of the mixture Name of substance **Threshold CAS No** End-Protection goal, Used in **Exposure time** level route of exposure point Acetone 67-64-1 **DNEL** 1,210 mg/m<sup>3</sup> human, inhalatory worker (industry) chronic - systemic effects acute - local ef-**DNEL** 67-64-1 2,420 mg/m<sup>3</sup> human, inhalatory Acetone worker (industry) fects Acetone 67-64-1 **DNEL** 186 mg/kg human, dermal worker (industry) chronic - systemic effects bw/day Acetone 67-64-1 **DNEL** 200 mg/m<sup>3</sup> human, inhalatory consumer (private chronic - systemic households) effects Acetone 67-64-1 **DNEL** 62 mg/kg human, dermal consumer (private chronic - systemic bw/day households) effects Acetone 67-64-1 **DNEL** 62 mg/kg human, oral consumer (private chronic - systemic households)

### Relevant PNECs of components of the mixture

Name of substance	CAS No	End- point	Threshold Organism level		Environmental compartment	Exposure time		
Acetone	67-64-1	PNEC	21 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	water	intermittent re- lease		
Acetone	67-64-1	PNEC	10.6 <sup>mg</sup> / <sub>I</sub>	aquatic organisms	freshwater	short-term (single instance)		
Acetone	67-64-1	PNEC	1.06 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)		
Acetone	67-64-1	PNEC	100 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)		
Acetone	67-64-1	PNEC	30.4 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sedi- ment	short-term (single instance)		

United Kingdom: en Page: 6 / 16

according to Regulation (EC) No. 1907/2006 (REACH)



# **Spraycleaner**

Version number: 1.0 Date of compilation: 2019-12-13

Relevant PNECs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Acetone	67-64-1	PNEC	3.04 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)
Acetone	67-64-1	PNEC	29.5 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)
Dimethyl ether	115-10-6	PNEC	0.155 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)
Dimethyl ether	115-10-6	PNEC	0.016 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)
Dimethyl ether	115-10-6	PNEC	160 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Dimethyl ether	115-10-6	PNEC	0.681 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sedi- ment	short-term (single instance)
Dimethyl ether	115-10-6	PNEC	0.069 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)
Dimethyl ether	115-10-6	PNEC	0.045 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)

## 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection (EN 166).

### Skin protection

Protective clothing (EN 340 & EN ISO 13688).

- hand protection



Chemical protection gloves are suitable, which are tested according to EN 374. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- type of material

Nitrile rubber

- material thickness

Use gloves with a minimum material thickness: ≥ 0,7 mm.

- breakthrough times of the glove material

Use gloves with a minimum breakthrough times of the glove material: >480 minutes (permeation: level 6).

- other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

#### Respiratory protection

During spraying wear suitable respiratory equipment. In case of inadequate ventilation wear respiratory protection. Type: AX (gas filters and combined filters against low-boiling point organic compounds, colour code: Brown).

United Kingdom: en Page: 7 / 16

according to Regulation (EC) No. 1907/2006 (REACH)



# **Spraycleaner**

Version number: 1.0 Date of compilation: 2019-12-13

## Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

## **Appearance**

Physical state	aerosol (spray aerosol)
Colour	colourless
Odour	characteristic

## Other safety parameters

pH (value)	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	not determined
Flash point	not determined
Evaporation rate	not determined
Flammability (solid, gas)	flammable aerosol in accordance with GHS criteria
Vapour pressure	not determined
Density	0.7 <sup>9</sup> / <sub>ml</sub> at 20 °C
Vapour density	this information is not available
Solubility(ies)	not determined

## Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	not determined
Viscosity	not relevant (aerosol)
Explosive properties	none
Oxidising properties	none

## 9.2 Other information

There is no additional information.

United Kingdom: en Page: 8 / 16

according to Regulation (EC) No. 1907/2006 (REACH)



# **Spraycleaner**

Version number: 1.0 Date of compilation: 2019-12-13

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

The mixture contains reactive substance(s). Risk of ignition.

### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

Do not spray on an open flame or other ignition source. Keep away from heat. Do not expose to temperatures exceeding 50 °C/122 °F.

Hints to prevent fire or explosion

Protect from sunlight.

### 10.5 Incompatible materials

Acids. Oxidisers.

## 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### Classification according to GHS (1272/2008/EC, CLP)

#### Acute toxicity

Shall not be classified as acutely toxic.

- acute toxicity of components of the mixture

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Acetone	67-64-1	oral	LD50	5,800 <sup>mg</sup> / <sub>kg</sub>	rat

### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

## Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

United Kingdom: en Page: 9 / 16

according to Regulation (EC) No. 1907/2006 (REACH)



# **Spraycleaner**

Version number: 1.0 Date of compilation: 2019-12-13

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Acetone	67-64-1	LC50	8,120 <sup>mg</sup> / <sub>l</sub>	fish	96 h
Isobutane	75-28-5	LC50	49.9 <sup>mg</sup> / <sub>l</sub>	fish	96 h
Isobutane	75-28-5	EC50	19.37 <sup>mg</sup> / <sub>l</sub>	algae	96 h
Propane	74-98-6	LC50	49.9 <sup>mg</sup> / <sub>l</sub>	fish	96 h
Propane	74-98-6	EC50	19.37 <sup>mg</sup> / <sub>I</sub>	algae	96 h

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time	
Acetone	67-64-1	EC50	61.15 <sup>g</sup> / <sub>l</sub>	microorganisms	30 min	
Acetone	67-64-1	NOEC	2,212 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	28 d	
Acetone	67-64-1	LOEC	2,212 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	28 d	
Acetone	67-64-1	growth (EbCx) 12%	1,000 <sup>mg</sup> / <sub>l</sub>	microorganisms	30 min	

## 12.2 Persistence and degradability

Data are not available.

## 12.3 Bioaccumulative potential

Data are not available.

### 12.4 Mobility in soil

Data are not available.

## 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

United Kingdom: en Page: 10 / 16

according to Regulation (EC) No. 1907/2006 (REACH)



# **Spraycleaner**

Version number: 1.0 Date of compilation: 2019-12-13

#### 12.6 Other adverse effects

Data are not available.

Endocrine disrupting potential

None of the ingredients are listed.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### **Remarks**

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## **SECTION 14: Transport information**

14.1	UN number	1950
14.2	UN proper shipping name	AEROSOLS
14.3	Transport hazard class(es)	
	Class	2 (gases) (aerosol)
	Subsidiary risk(s)	2.1 (flammable)
14.4	Packing group	not assigned to a packing group
14.5	Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regulations

## 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

## 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No data available.

## Information for each of the UN Model Regulations

### Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

UN number 1950

Proper shipping name AEROSOLS

Class
Classification code
5F

Danger label(s) 2.1



Special provisions (SP) 190, 327, 344, 625

United Kingdom: en Page: 11 / 16

according to Regulation (EC) No. 1907/2006 (REACH)



# **Spraycleaner**

Version number: 1.0 Date of compilation: 2019-12-13

Excepted quantities (EQ) E0
Limited quantities (LQ) 1 L
Transport category (TC) 2
Tunnel restriction code (TRC) D

## **International Maritime Dangerous Goods Code (IMDG)**

UN number 1950

Proper shipping name AEROSOLS

Class 2.1
Marine pollutant Danger label(s) 2.1



Stowage category

Special provisions (SP) 63, 190, 277, 327, 344, 381, 959

Excepted quantities (EQ) E0
Limited quantities (LQ) 1 L
EmS F-D, S-U

## International Civil Aviation Organization (ICAO-IATA/DGR)

UN number 1950

Proper shipping name Aerosols, flammable

Class 2.1 Danger label(s) 2.1



Special provisions (SP) A145, A167

Excepted quantities (EQ) E0
Limited quantities (LQ) 30 kg

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

## Relevant provisions of the European Union (EU)

# Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)

Name of substance	Name acc. to inventory	CAS No	Restriction	No
Isobutane	flammable / pyrophoric		R40	40
Propane	flammable / pyrophoric		R40	40
Acetone	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		R3	3
Acetone	flammable / pyrophoric		R40	40

United Kingdom: en Page: 12 / 16

according to Regulation (EC) No. 1907/2006 (REACH)



# Spraycleaner

Version number: 1.0 Date of compilation: 2019-12-13

Dangerous substances with restrictions (REACH, Annex XVII)

Name of substance	Name acc. to inventory	CAS No	Restriction	No
Dimethyl ether	flammable / pyrophoric		R40	40

#### Legend

R40

- 1. Shall not be used in:
- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ash-
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
- Articles not complying with paragraph 1 shall not be placed on the market.
- 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
- can be used as fuel in decorative oil lamps for supply to the general public, and,
- present an aspiration hazard and are labelled with R65 or H304,
- 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
- 5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
  (a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: Keep lamps filled with this liquid out of the reach of children; and, by 1 December 2010, 'Just a sip of lamp oil - or even sucking the wick
- (b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';
- (c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
- 6. No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.
- 7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission. 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the
- general public for entertainment and decorative purposes such as the following:
  - metallic glitter intended mainly for decoration,
  - artificial snow and frost.
  - 'whoopee' cushions.
  - silly string aerosols,
  - imitation excrement. - horns for parties

  - decorative flakes and foams,
  - artificial cobwebs,
  - stink bombs.
  - 2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:
  - 'For professional users only'
  - 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/ 324/EEC (2).
  - 4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

### List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

None of the ingredients are listed.

## **Seveso Directive**

2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		Notes
P3a	flammable aerosols (containing Flam. Gas or Flam. Liq.)	150	500	46)

#### Notation

flammable' aerosols category 1 or 2, containing flammable gases category 1 or 2 or flammable liquids category 1 Note: qualifying quantity = net

## Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and **Transfer Register (PRTR)**

None of the ingredients are listed.

United Kingdom: en Page: 13 / 16

according to Regulation (EC) No. 1907/2006 (REACH)



# **Spraycleaner**

Version number: 1.0 Date of compilation: 2019-12-13

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

None of the ingredients are listed.

## 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## **SECTION 16: Other information**

# **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Gas	Flammable gas
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval

United Kingdom: en Page: 14 / 16

according to Regulation (EC) No. 1907/2006 (REACH)



# **Spraycleaner**

Version number: 1.0 Date of compilation: 2019-12-13

Abbr.	Descriptions of used abbreviations
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LOEC	Lowest Observed Effect Concentration
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
Press. Gas	Gas under pressure
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

## Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

## **Classification procedure**

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

## List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H413	May cause long lasting harmful effects to aquatic life.

United Kingdom: en Page: 15 / 16

according to Regulation (EC) No. 1907/2006 (REACH)



# **Spraycleaner**

Version number: 1.0 Date of compilation: 2019-12-13

### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom: en Page: 16 / 16